

STATE OF MISSOURI BUREAU OF IMMUNIZATIONS

COVID-19 VACCINATION SCREENING AND CONSENT UNDER EMERGENCY USE AUTHORIZATION

Please complete the following information for the person receiving the COVID-19 vaccine.

| Please complete the following information for the person receiving the COVID-19 vaccine. PATIENT DEMOGRAPHIC INFORMATION | | | | | | | | | | | | | |
|---|---|------------|-----------------|---------------------|---------------|-------------|-------------|----------------------|----------------------|---------------------|-----------------------|----------|------------------|
| LACT NAME | | | P | PATIENT | DEMOGRA | | | MATION | | | | | MIDDLE INITIAL. |
| LAST NAME: | | | | | | FIRST N | IAME: | | | | | | MIDDLE INITIAL: |
| DATE OF BIRT | H: | | | | | SEX: | ¬ | | | | | | |
| DACE: | | | | | | L | _ Male | ETHNICITY | male | □ Irans | gender | ☐ Othe | ·r |
| RACE: White Black Asian Pacific Islander | | | | | | | _ | ⊓ No | | | | | |
| ☐ American Indian/Alaskan Native ☐ None Specified ☐ Refuse | | | | | ed | _ | Unknow | | Refused | | | | |
| ADDRESS: | | | | | | | CITY: | | | | | | |
| STATE: | ZIP: | COUNTY: | | | HOME PHONE | i: | ' | | | CELL PHON | E: | | |
| EMAIL: WOULD LIKE A REMINDER FOR THE NEXT APPOINTMENT: ☐ Yes ☐ No Postcard/call/text | | | | | | | | | | | | | |
| ☐ Private or employer insurance ☐ Underinsured ☐ Uninsured ☐ Medicare ☐ Medicaid | | | | | | | | | | | | | |
| Phase 1A - Patient-Facing Health Care Workers and Long-Term Care Facility Residents and Staff: Vaccinating those most vulnerable and those protecting them Hospitals, Long-term care facilities and residents, including Department of Mental Health Home health, Hospice, Dialysis centers, Urgent care Vaccinator staff and those administering COVID testing Congregate community healthcare settings staff and residents, including DMH contracted settings and adult day cares EMS and high-risk non-congregate healthcare, including clinics, physicians, and home care providers All remaining patient-facing healthcare providers, including but not limited to health care workers in emergency shelters, dental offices, school nurses, pharmacies, public health clinics, mental/behavioral health providers, and correctional settings | | | | | | | | | | | | | |
| Phase 1B - Tier 1 Worker Information: Protecting those who keep us safe and help during emergencies First Responders Non-Patient Facing Public Health Infrastructure Emergency Management and Public Works Emergency Services Sector | | | | | | | | | | | | | |
| Phase 1B - Tier 2 High-Risk Individuals: Protecting those who are at increased risk for severe illness Anyone aged 65 and older Any Adult with the following conditions: Cancer, Chronic Kidney Disease, COPD (chronic obstructive pulmonary disease), Intellectual and/or developmental disabilities such as Down syndrome, Heart Conditions (such as heart failure, coronary artery disease, or cardiomyopathies), Immunocompromised state from solid organ transplant, Severe Obesity (BMI greater than 40), Pregnancy, Sickle Cell Disease, &/or Type 2 Diabetes Mellitus | | | | | | | | | | | | | |
| Phase 1B - Tier 3 Critical Infrastructure: Protecting those who keep the essential functions of society running Education (K-12) | | | | | | | | | | | | | |
| Phase 2, Equity & Economic Recovery: Protecting those who have been disproportionately affected and accelerating economic | | | | | | | | | | | | | |
| ☐ Fina ☐ Gov | mical Sector Incial Services Se ernment: Other st d/Agriculture Sect | ate and I | | ucation ent desi | gnated pers | ∏ sonnel | | rtionate to provi | ely Affeo ide ess | cted ential serv | ☐ Home vices | | rial Base Sector |
| | Remaining Unva ident who doesn't | | | | | ne else | who ha | s not be | een vad | ccinated, b | out wants | to do so | |
| The State of Missouri is conducting a phased roll-out of the COVID-19 vaccine prioritizing saving lives and is dictated by vaccine availability. This form will gather information about you, including your employment and health risks to determine your eligibility and properly schedule your vaccination appointment. All your information will be kept confidential to the extent allowed by law. By signing below you are self-certifying that everything you have indicated on this form is true and that you fall into the phase/tier indicated above. Specific information about the populations within each phase/tiers can be found on the MOStopsCovid.com website. | | | | | | | | | | | | | |
| SIGNATURE/G | | ie hobaii | auono wiliini (| eaun pna | iod/libio Cal | | ATIONSHIP T | | πορουί | JVIG.COIII V | TODAY'S DA | ΙΤΕ | |
| Clinica | ıl Judgement – a | all vaccin | ators are en | nurane i | to use their | clinics | ıl iudapm | nent/dis | cretion | to author | ize a vac | cine for | any individual |
| | of where they ma | | | | | | ıı juuyen | nonvuist | CIGUOII | io autiioi | ız c a val | | arry murvidual, |
| PROVIDER SIG | GNATURE | | | | | | | | | | DATE | | |

| | | YES | <u>NO</u> | <u>UNKNOWN</u> | | | | | | |
|---|---------------------|--------------|---------------|----------------|--|------|--|--|--|--|
| 1. Are you feeling sick today? | | | | | | | | | | |
| 2. Have you ever had a severe allergic reaction | | Ш | | | | | | | | |
| For example, a reaction for which you were go to the hospital? | | | | | | | | | | |
| Have you ever had a serious reaction after a dose of the COVID-19 vaccine? | | | | | | | | | | |
| 4. In the past 14 days have you had contact w | | | | | | | | | | |
| 5. Are you breastfeeding or pregnant? | | | | | | | | | | |
| 6. Have you received passive antibody therapy | | | | | | | | | | |
| 7. Are you immunocompromised? (taking med other immune system problems or taking med other) | | | | | | | | | | |
| 8. Do you have a bleeding disorder or are you | | | | | | | | | | |
| 9. Have you ever received a dose of COVID-19 | | | | | | | | | | |
| If so, Date received | | | | | | | | | | |
| The Public Readiness and Emergency Preparedness Act (PREP Act) authorizes the CICP to provide benefits to certain individuals or estates of individuals who sustain a covered serious physical injury as the direct result of the administration or use of the covered countermeasures. The CICP can also provide benefits to certain survivors of individuals who die as a direct result of the administration or use of covered countermeasures identified in a PREP Act declaration. The PREP Act declaration for medical countermeasures against COVID-19 states that the covered countermeasures are any antiviral medication, any other drug, any biologic, any diagnostic, any other device, or any vaccine used to treat, diagnose, cure, prevent, or mitigate COVID-19, the transmission of SARS-CoV-2 or a virus mutating from SARS-CoV-2, or any device used in the administration of and all components and constituent materials of any such product. Information about the CICP and filling a claim is available by calling 1-855-266-2427 or visiting https://www.fda.gov/emergency-preparedness-and-response/coronavirus-disease-2019-covid-19/moderna-covid-19-vaccine PLEASE PRINT NAME of signature below | | | | | | | | | | |
| CIONATURE OF PATIENT | TODAY'S DATE | | | | | | | | | |
| SIGNATURE OF PATIENT | | TODAT 3 DATE | | | | | | | | |
| ACKNOWLEDGMENT OF RECEIPT OF NOTICE OF PRIVACY PRACTICES I,, acknowledge and agree that I have received or have been advised of the Missouri Department of Health and PRINT NAME HERE Senior Services' Notice of Privacy Practices and where I can obtain any revisions made to this Notice. | | | | | | | | | | |
| CLIENT SIGNATURE/LEGAL REPRESENTATIVE RELATIONSHIP TO CLIENT | | | | | | DATE | | | | |
| FOR CLINIC USE ONLY | | | | | | | | | | |
| MANUFACTURER | BRAND | LC | OT NUMBER | | | | | | | |
| DOSE NUMBER | *EXP. DATE: | •[| ATE ADMINISTE | RED: | | | | | | |
| *EUA FACT SHEET DATE: | *EUA FACT SHEET GIV | /EN DATE: | DELTOID) | | | | | | | |
| | | V | ACCINE DOSE: | | | | | | | |
| ADMINISTERED BY NAME & TITLE: | | | | | | | | | | |
| AGENCY: | | | | | | | | | | |
| AGENCY ADDRESS: | | | | | | | | | | |
| CLINIC ADMINISTRATION ADDRESS | | | | | | | | | | |

Information for healthcare Professionals about the health history for COVID-19 Vaccines

Are you feeling sick today? There is no evidence that acute illness reduces vaccine efficacy or increases vaccine adverse events. However, as a precaution with moderate or severe acute illness, all vaccines should be delayed until the illness has improved. Mild illnesses (e.g., upper respiratory infections, diarrhea) are NOT contraindications to vaccination. Do not withhold vaccination if a person is taking antibiotics. Vaccination of persons with current SARS-CoV-2 infection should be deferred until the person has recovered from acute illness and they can discontinue isolation. While there is no minimum interval between infection and vaccination, current evidence suggests reinfection is uncommon in the 90 days after initial infection. Persons with documented acute SARSCoV-2 infection in the preceding 90 days may delay vaccination until near the end of this period, if desired.

Have you ever had a severe allergic reaction (e.g., anaphylaxis) to something? For example, a reaction for which you were treated with epinephrine or EpiPen®, or for which you had to go to the hospital? Allergic reactions, including severe allergic reactions, NOT related to vaccines or injectable therapies (e.g., food, pet, venom, environmental, or latex allergies; oral medications) are NOT a contraindication or precaution to vaccination with currently authorized COVID-19 vaccine. HOWEVER, individuals who have had severe allergic reactions to something, regardless of cause, should be observed for 30 minutes after vaccination. All other persons should be observed for 15 minutes.

Have you ever had a serious reaction after any vaccination or injectable mediation including a previous dose of the COVID-19 vaccine? History of severe allergic reaction (e.g., anaphylaxis) to a previous dose or component of the COVID-19 vaccine product being offered is a contraindication to that COVID-19 vaccine. If the patient answers Yes to this question, defer vaccination for 90 days from date of therapy.

In the past 14 days have you had contact with a confirmed COVID-19 patient? Wait until 14 days after quarantine period ends if the contact was in an outpatient or community setting. If person is a resident in a congregate healthcare or other congregate setting go ahead and vaccinate

Are you breastfeeding or pregnant? Is not a contraindication to current COVID-19 vaccination. While there are currently no available data on the safety of COVID-19 vaccines in pregnant people, studies and results are expected soon. Pregnant people may choose to get vaccinated. Observational data demonstrate that while the absolute risk is low, pregnant people with COVID-19 have an increased risk of severe illness. Breastfeeding is not a contraindication to current COVID-19 vaccine. Lactating people may choose to be vaccinated. There is no data available for lactating people on the effects of mRNA vaccines.

Have you received passive antibody therapy as a treatment for COVID-19? Based on the estimated half-life of monoclonal antibodies or convalescent plasma as part of COVID-19 treatment, as well as evidence suggesting that reinfection is uncommon in the 90 days after initial infection, vaccination should be deferred for at least 90 days, as a precautionary measure until additional information becomes available, to avoid interference of the antibody treatment with vaccine-induced immune responses

Are you immunocompromised? (taking mediation or being treated for cancer, leukemia, HIV/AIDS or other immune system problems or taking medication that affects your immune system is not a contraindication to current COVID-19 vaccine, including those with cancer, leukemia, HIV/AIDS and other immune system problems or taking medication that affects their immune systems. However, patients should be informed that the vaccine might be less effective than in someone who is immunocompetent.

Do you have a bleeding disorder or are you taking a blood thinner? COVID-19 vaccine may be given to these patients, if a physician familiar with the patient's bleeding risk determines that the vaccine can be administered intramuscularly with reasonable safety. ACIP recommends the following technique for intramuscular vaccination in patients with bleeding disorders or taking blood thinners: a fine-gauge needle (23-gauge or smaller caliber) should be used for the vaccination, followed by firm pressure on the site, without rubbing, for at least 2 minutes.